



## Problem A

### (Your)((Term)((Project)))

You have typed the report of your term project in your personal computer. There are several one line arithmetic expressions in your report. There is no redundant parentheses in the expressions (omitting a pair of redundant matching parentheses does not change the value of the expression). In your absence, your little brother inserts some redundant matching parentheses in the expressions of your report. Assume that the expressions remain syntactically correct and evaluate to their original value (the value before inserting redundant parentheses). To restore your report to its original form, you are to write a program to omit all redundant parentheses.

To make life easier, consider the following simplifying assumptions:

1. The input file contains a number of expressions, each in one separate line.
2. Variables in the expressions are only single uppercase letters.
3. Operators in the expressions are only binary '+' and binary '-'.

Note that the only transformation allowed is omission of redundant parentheses, and no algebraic simplification is allowed.

### Input (File: INPUT.TXT)

The input file consists of several test cases. The first line of the file contains a single number  $M$ , which is the number of test cases ( $1 \leq M \leq 10$ ). Each of the following  $M$  lines, is exactly one correct expression. There may be arbitrarily space characters in each line. The length of each line (including spaces) is at most 255 characters.

### Output (File: OUTPUT.TXT)

The output for each test case is the same expression without redundant parentheses. Notice that the order of operands in an input expression and its corresponding output should be the same. Each output expression must be on a separate line. Space characters should be omitted in the output expressions.

#### Sample Input

```
3
(A-B + C) - (A+(B - C)) - (C-(D- E) )
((A)-( (B) ))
A-(B+C)
```

#### Sample output

```
A-B+C- (A+B-C) - (C- (D-E) )
A-B
A- (B+C)
```



## Problem B

### Painting A Board

The CE digital company has built an Automatic Painting Machine (APM) to paint a flat board fully covered by adjacent non-overlapping rectangles of different sizes each with a predefined color.




Figure 1

To color the board, the APM has access to a set of brushes. Each brush has a distinct color  $C$ . The APM picks one brush with color  $C$  and paints all possible rectangles having predefined color  $C$  with the following restrictions:

To avoid leaking the paints and mixing colors, a rectangle can only be painted if all rectangles immediately above it have already been painted. For example rectangle labeled F in Figure 1 is painted only after rectangles C and D are painted. Note that each rectangle must be painted at once, i.e. partial painting of one rectangle is not allowed.

You are to write a program for APM to paint a given board so that the number of brush pick-ups is minimum. Notice that if one brush is picked up more than once, all pick-ups are counted.

#### Input (File: INPUT.TXT)

The first line of the input file contains an integer  $M$  which is the number of test cases to solve ( $1 \leq M \leq 10$ ). For each test case, the first line contains an integer  $N$ , the number of rectangles, followed by  $N$  lines describing the rectangles. Each rectangle  $R$  is specified by 5 integers in one line: the  $y$  and  $x$  coordinates of the upper left corner of  $R$ , the  $y$  and  $x$  coordinates of the lower right corner of  $R$ , followed by the color-code of  $R$ .

Note that:

1. Color-code is an integer in the range of 1 .. 20.
2. Upper left corner of the board coordinates is always (0,0).
3. Coordinates are in the range of 0 .. 99.
4.  $N$  is in the range of 1..15.

#### Output (File: OUTPUT.TXT)

One line for each test case showing the minimum number of brush pick-ups.

#### Sample Input

```
1
7
0 0 2 2 1
0 2 1 6 2
2 0 4 2 1
1 2 4 4 2
1 4 3 6 1
4 0 6 4 1
3 4 6 6 2
```

#### Sample Output

```
3
```


Note : This sample input corresponds to Figure 1.



## Problem C


### Crossed Matchings

There are two rows of positive integer numbers. We can draw one line segment between any two equal numbers, with values  $r$ , if one of them is located in the first row and the other one is located in the second row. We call this line segment an  $r$ -matching segment. The following figure shows a 3-matching and a 2-matching segment.



We want to find the maximum number of matching segments possible to draw for the given input, such that:

- Each  $a$ -matching segment should cross exactly one  $b$ -matching segment, where  $a \neq b$ .
- No two matching segments can be drawn from a number. For example, the following matchings are not allowed.



Write a program to compute the maximum number of matching segments for the input data. Note that this number is always even.

### Input (File: INPUT.TXT)

The first line of the file is the number  $M$ , which is the number of test cases ( $1 \leq M \leq 10$ ). Each test case has three lines. The first line contains  $N_1$  and  $N_2$ , the number of integers on the first and the second row respectively. The next line contains  $N_1$  integers which are the numbers on the first row. The third line contains  $N_2$  integers which are the numbers on the second row. All numbers are positive integers less than 100.

### Output (File: OUTPUT.TXT)

Output file should have one separate line for each test case. The maximum number of matching segments for each test case should be written in one separate line.

#### Sample Input

```
3
6 6
1 3 1 3 1 3
3 1 3 1 3 1
4 4
1 1 3 3
1 1 3 3
12 11
1 2 3 3 2 4 1 5 1 3 5 10
3 1 2 3 2 4 12 1 5 5 3
```

#### Sample Output

```
6
0
8
```



## Problem D

### Counting Rectangles

We are given a figure consisting of only horizontal and vertical line segments. Our goal is to count the number of all different rectangles formed by these segments. As an example, the number of rectangles in the Figures 1 and 2 are 5 and 0 respectively.




Figure 1




Figure 2

There are many intersection points in the figure. An intersection point is a point shared by at least two segments. The input line segments are such that each intersection point comes from the intersection of exactly one horizontal segment and one vertical segment.

### Input (File: INPUT.TXT)

The first line of the file contains a single number  $M$ , which is the number of test cases in the file ( $1 \leq M \leq 10$ ), and the rest of the file consists of the data of the test cases. Each test case begins with a line containing  $s$  ( $1 \leq s \leq 100$ ), the number of line segments in the figure. It follows by  $s$  lines, each containing  $x$  and  $y$  coordinates of two end points of a segment respectively. The coordinates are integers in the range of 0 to 1000.

### Output (File: OUTPUT.TXT)

The output for each test case is the number of all different rectangles in the figure described by the test case. The output for each test case must be written on a separate line.

#### Sample input

```
2
6
0 0 0 20
0 10 25 10
20 10 20 20
0 0 10 0
10 0 10 20
0 20 20 20
3
5 0 5 20
15 5 15 25
0 10 25 10
```

#### Sample output

```
5
0
```

The above input file contains two test cases corresponding to Figures 1 and 2 respectively.



## Problem E

### An Old Stone Game

There is an old stone game, played on an arbitrary general tree  $T$ . The goal is to put one stone on the root of  $T$  observing the following rules:

1. At the beginning of the game, the player picks  $K$  stones and puts them all in one bucket.
2. At each step of the game, the player can pick one stone from the bucket and put it on any empty leaf.
3. When all of the  $r$  immediate children of a node  $p$  each has one stone, the player may remove all of these  $r$  stones, and put one of the stones on  $p$ . The other  $r - 1$  stones are put back into the bucket, and can be used in the later steps of the game.

The player wins the game if by following the above rules, he succeeds to put one stone on the root of the tree.

You are to write a program to determine the least number of stones to be picked at the beginning of the game ( $K$ ), so that the player can win the game on the given input tree.

#### Input (File: INPUT.TXT)

The input file describes several trees. The first line of this file is  $M$ , the number of trees ( $1 \leq M \leq 10$ ). Description of these  $M$  trees comes next in the file. Each tree has  $N < 200$  nodes, labeled  $1, 2, \dots, N$ , and each node can have any possible number of children. Root has label 1. Description of each tree starts with  $N$  in a separate line. The following  $N$  lines describe the children of all nodes in order of their labels. Each line starts with a number  $p$  ( $1 \leq p \leq N$ , the label of one of the nodes),  $r$  the number of the immediate children of  $p$ , and then the labels of these  $r$  children.

#### Output (File: OUTPUT.TXT)

One line for each input tree showing the minimum number of stones to be picked in step 1 above, in order to win the game on that input tree.

#### Sample Input

```
2
7
1 2 2 3
2 2 5 4
3 2 6 7
4 0
5 0
6 0
7 0
12
1 3 2 3 4
2 0
3 2 5 6
4 3 7 8 9
5 3 10 11 12
6 0
7 0
8 0
9 0
10 0
11 0
12 0
```

#### Sample Output

```
3
4
```



## Problem F

### Magazine Delivery

The TTT Taxi Service in Tehran is required to deliver some magazines to  $N$  locations in Tehran. The locations are labeled  $L_1$  to  $L_N$ . TTT assigns 3 cars for this service. At time 0, all the 3 cars and magazines are located at  $L_1$ . There are plenty of magazines available in  $L_1$  and the cars can take as many as they want. Copies of the magazine should be delivered to all locations, observing the following rules:

1. For all  $i = 2 \dots N$ , magazines should be delivered at  $L_i$  only after magazines are delivered at  $L_{i-1}$ .
2. At any time, only one of the three cars is driving, and the other two are resting in other locations.

The time to go from  $L_i$  to  $L_j$  (or reverse) by any car is a positive integer denoted by  $D[i, j]$ .

The goal is to organize the delivery schedule for the cars such that the time by which magazines are delivered to all  $N$  locations is minimum.

Write a program to compute the minimum delivery time.

#### Input (File: INPUT.TXT)

The input file contains  $M$  instances of this problem ( $1 \leq M \leq 10$ ). The first line of the input file is  $M$ . The descriptions of the input data follows one after the other. Each instance starts with  $N$  in a single line ( $N \leq 30$ ). Each line  $i$  of the following  $N-1$  lines contains  $D[i, j]$ , for all  $i=1..N-1$ , and  $j=i+1..N$ .

#### Output (File: OUTPUT.TXT)

The output file contains  $M$  lines, each corresponding the solution to one of the input data. In each line, the minimum time it takes to deliver the magazines to all  $N$  locations is written.

#### Sample Input

```
1
5
10 20 3 4
5 10 20
8 18
19
```

#### Sample Output

```
22
```